

Table S2. Individual features of monitored trees

Tree	Early dry branches height Hps (m)	Early alive branches height Hpv (m)	Hpv- Hps (m)	Total Height (m)	Alive branches total height (m)	Slotted
N.						
1	Absent	19.1		33.5	14.4	Yes
2	Absent	25.2		41.0	15.8	Yes
3						
4	11.2	17.6	6.4	32.2	14.6	
5	Absent	12.3		39.1	26.8	
6	5.7	14.8	9.1	36.8	22.0	
7	Absent	13.3		39.5	26.2	
8	Absent	22.7		42.0	19.3	
9	Absent	26.1		37.4	11.3	
10	6.4	12.4	6.0	23.9	11.5	Yes
11	Absent	4.0		28.9	24.9	
12						
13	5.1	12.2	7.1	32.8	20.6	
14	absent	18.2		39.4	21.2	
15	6.4	10.3	3.9	38.5	28.2	
16	5.7	12.3	6.6	34.9	22.6	
17	5.2	7.3	2.1	36.9	29.6	
18	9.1	14.2	5.1	37.9	23.7	
19	20.2	30.8	10.6	33.8	3.0	
20	6	15.8	9.8	27.5	11.7	
21	absent	3.5		37.5	34.0	
22	11.4	12.9	1.5	32.8	19.9	
23						
24						
25	absent	24.8		44.0	19.2	
26	4	16.0	12.0	34.5	18.5	
27	absent	11.8		40.8	29.0	
28	7.7	15.5	7.8	36.0	20.5	
29	7.1	13.5	6.4	36.5	23.0	Yes
30	absent	14.5		43.9	29.4	
31	absent	16.8		38.8	22.0	Yes
32	absent	5.6		38.4	32.8	
33	6.7	9.3	2.6	41.0	31.7	
34						
35	4.3	17.0	12.7	39.0	22.0	
36						

Supplementary table to the article “*Pinus nigra* J.F. Arnold subsp. *calabrica* (Poir.) of the Fallistro Biogenetic Natural Reserve: state of “Giant pines” stand after 40 years of observations”, by Vincenzo Bernardini, Silvano Avolio and Manuela Plutino. *Forest Systems* Vol. 29 No. 2, August 2020
<https://doi.org/10.5424/fs/2020292-15936>

37	14	17.9	3.9	34.8	16.9	
38	8.8	18.0	9.2	36.1	18.1	
39	6.1	9.5	3.4	26.1	16.6	
40	absent	9.6		35.6	26.0	Yes
41	absent	17.1		40.7	23.6	
42	absent	17.7		38.7	21.0	Yes
43						
44	absent	24.0		43.9	19.9	
45	5.3	5.9	0.6	15.1	9.2	Yes
46	absent	18.1		35.2	17.1	Yes
47	6.5	8.9	2.4	42.0	33.1	
48						
49	7	11.1	4.1	40.2	29.1	Yes
50	absent	10.9		43.0	32.1	
51						
52						
53	absent	3.2		36.5	33.3	
54	absent	5.6		24.7	19.1	
55						
56						
57	absent	6.4		28.6	22.2	
58						

3
4