

Table S1. Assessment of the commercial value of the species, in three Forest Management Plans: N5 (Intecmaca, 1989), C3 (Comafor, 1995), C4 (Aserradero Hermanos Hernández, 1992). 1: high value; 2: mean value; 3: low value; 4: potential species

Species	N5	C3	C4	Average Value	Class
<i>Carapa guianensis</i> Aubl.	1	1	1	1.0	I
<i>Catostemma commune</i> Sandwith	1	1	1	1.0	I
<i>Cedrela odorata</i> L.	1	1	1	1.0	I
<i>Ceiba pentandra</i> (L.) Gaertn.	1	1	2	1.3	I
<i>Diploptropis purpurea</i> (Rich.) Amshoff	1	1	2	1.3	I
<i>Erismia uncinatum</i> Warm.	1	1	1	1.0	I
<i>Handroanthus impetiginosus</i> (Mart. ex DC.) Mattos	1	1	1	1.0	I
<i>Hymenaea courbaril</i> L.	1	1	1	1.0	I
<i>Manilkara bidentata</i> (A.DC.) A.Chev.	1	1	1	1.0	I
<i>Mouriri huberi</i> Cogn.	2	1	1	1.3	I
<i>Parkia nitida</i> Miq.	1	1	2	1.3	I
<i>Peltogyne porphyrocardia</i> Benth.	1	1	1	1.0	I
<i>Protium tenuifolium</i> (Engl.) Engl.	1	1	2	1.3	I
<i>Spondias mombin</i> L.	1	1	2	1.3	I
<i>Terminalia amazonia</i> (J.F.Gmel.) Exell	1	1	2	1.3	I
<i>Abarema jupunba</i> (Willd.) Urb.	1	1	4	2.0	II
<i>Albizia pedicellaris</i> (Dc.) L.Rico	1	1	4	2.0	II
<i>Alexa imperatricis</i> (R. H. Schomb.) Baill.	1	3	3	2.3	II
<i>Astronium lecointei</i> Ducke	2	1	2	1.7	II
<i>Brosimum alicastrum</i> Sw.	4	1	2	2.3	II
<i>Cordia exaltata</i> Lam.	1	3	2	2.0	II
<i>Couratari guianensis</i> Aubl.	2	1	4	2.3	II
<i>Eriotheca globosa</i> (Aubl.) A. Robyns	4	1	2	2.3	II
<i>Jacaranda copaia</i> (Aubl.) D. Don	2	3	2	2.3	II
<i>Loxopterygium sagotii</i> Hook.f.	1	1	4	2.0	II
<i>Mora excelsa</i> Benth.	1	3	2	2	II
<i>Ormosia paraensis</i> Ducke	2	1	2	1.7	II
<i>Pera glabrata</i> (Schott) Poepp. ex Baill.	4	1	1	2.0	II
<i>Piranhea longipedunculata</i> Jabl.	2	1	2	1.7	II
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	2	1	2	1.7	II
<i>Protium heptaphyllum</i> (Aubl.) Marchand	4	1	2	2.3	II
<i>Protium tenuifolium</i> (Engl.) Engl.	1	3	3	2.3	II
<i>Pseudopiptadenia suaveolens</i> (Miq.) J.W. Grimes	2	1	2	1.7	II
<i>Qualea dinizii</i> Ducke	3	1	2	2.0	II
<i>Rhodostemonodaphne grandis</i> (Mez) Rohwer	2	3	2	2.3	II
<i>Schefflera morototoni</i> (Aubl.) Maguire, Steyer. & Frodin	2	3	2	2.3	II

Supplementary table to the article "The recovery of logged forests proves that a viable management is possible in the Venezuelan Guayana Shield", by José R. Lozada, Yrma A. Carrero, Mariano Durán and Pilar Soriano. Forest Systems Vol. 31 No. 3, 2022 (<https://doi.org/10.5424/fs/2022313-19267>)

Species	N5	C3	C4	Average Value	Class
<i>Simarouba amara</i> Aubl.	1	1	4	2.0	II
<i>Sterculia pruriens</i> (Aubl.) Maguire, Steyerm. & Frodin	2	3	2	2.3	II
<i>Trattinnickia rhoifolia</i> Willd.	4	1	2	2.3	II
<i>Virola surinamensis</i> (Rol. ex Rottb.) Warb.	1	1	4	2.0	II
<i>Andira surinamensis</i> (Bondt) Pulle	4	1	4	3.0	III
<i>Aspidosperma album</i> (Vahl) Benth. ex Pichon	2	3	4	3.0	III
<i>Caesalpinia coriaria</i> (Jacq.) Willd.	4	1	4	3.0	III
<i>Clathrotropis brachypetala</i> (Tul.) Kleinhoonte	4	1	4	3.0	III
<i>Dendropanax arboreus</i> (L.) Decne. & Planch.	4	4	2	3.3	III
<i>Guarea guidonia</i> (L.) Sleumer	2	3	4	3.0	III
<i>Handroanthus serratifolius</i> (Vahl) S.O.Grose	4	4	1	3.0	III
<i>Hieronyma alchorneoides</i> Allemão	1	4	4	3.0	III
<i>Inga splendens</i> Willd.	1	4	4	3.0	III
<i>Lecythis chartacea</i> O.Berg	2	3	4	3.0	III
<i>Lonchocarpus margaritensis</i> Pittier	4	1	4	3.0	III
<i>Parinari excelsa</i> Sabine	2	4	4	3.3	III
<i>Parkia pendula</i> (Willd.) Walp.	3	4	2	3.0	III
<i>Platymiscium pinnatum</i> (Jacq.) Dugand	4	1	4	3.0	III
<i>Stryphnodendron polystachyum</i> (Miq.) Kleinhoonte	4	4	1	3.0	III
<i>Tachigali guianensis</i> (Benth.) Zarucchi & Herend.	2	3	4	3.0	III
<i>Trichilia quadrijuga</i> (Miq.) Kunth	2	4	4	3.3	III
<i>Zanthoxylum martinicense</i> (Lam.) DC.	4	3	2	3.0	III